电气接入点

E-BOX

用于在工位上直接提供电源气源，并集成举升机控制

- 短距离符合人机工程学
- 使用塑料盒铝合金的优质设计
- 出厂预装线缆，带有CE证书
- 集成电源插座(230/400 V), 压缩空气快插座, 网络插座, 举升机控制和电瓶充电机

结构

集成举升机控制

底部集成的欧标压缩空气快插座及三相插座

选装CAT6网络插座

防护插座



人体工程学设计的下拉手柄方便操作

组装完成出厂

现场组装

使用专用吊装件吊装在楼板或钢梁

带有吊杆和吊挂弹簧确保垂直吊装

限位钢丝确保安全使用

- 线缆气管置于吊杆内部
- 标配弹簧和安全钢丝

可集成充电机

充电机

- 可以移动使用
- 充电机订货号VZ 990429 or VAS 5900A
  VZ 990429 or VAS 5900A
- 紧凑设计

标配5m线并带有CE证书

技术参数

项		E-BOX VZ 990416	E-BOX集成地藏举升机控制 VZ 990417	E-BOX集成跑板举升机控制 VZ 990418
从设备底边沿开始测量的高度				
两个220v插座		(130 mm) 标配	(130 mm) 标配	(130 mm) 标配
四个220v插座	VZ 990419	(210 mm) 选装	(210 mm) 选装	(210 mm) 选装
400 V / 16 A 三相插座	VZ 990420	(0 mm) 选装	(0 mm) 选装	(0 mm) 选装
CAT6网络插座	VZ 990421	(125 mm) 选装	(125 mm) 选装	(125 mm) 选装
压缩空气快插座		(0 mm) 标配	(0 mm) 标配	(0 mm) 标配
地藏举升机控制		无	(120 mm) 标配	无
跑板举升机控制		无	无	(152 mm) 标配
充电机	VZ 990428			选装
移动式充电机	VZ 990429			选装
吊杆	VZ 990422			选装
使用				
举升机手动操作				标配
压缩空气快插座位于底部				标配
电源插座在立面				标配
标配设备				
吊杆				标配
弹簧				标配
安全钢丝				标配
带胶皮防护的下拉手柄				标配
包含弹簧总高度				1500
不含E-box的线缆长度				5000
含E-box的线缆长度				6500
技术手册				标配
CE 证书				标配



GLOBAL PLAYER

... in more than 150 countries worldwide

Subsidiaries

Australia
Canada
Chile
China
France
India
Ireland
Japan
New Zealand
Poland
Russia
Singapore
Spain
South Africa
UK
USA
UAE
Vietnam

MAHA Maschinenbau Haldenwang GmbH & Co. KG
Hoyen 20 | 87490 Haldenwang | Germany

Phone +49 8374 585 0
Fax +49 8374 585 497

sales@maha.de | www.maha.de

BR323001-en 02 · Subject to change without notice! The illustrations also show options which are not standard equipment.